

PRODUCT SHEET // HYBRID / Spreader bar



SKYWALK

STRUCTURE

The tandem spreader bar can be used as either a rigid or soft spreader. Weighing only 480g, including the V-line, the spreader is exceptionally lightweight, making launch preparation easier and reducing unwanted twisting. The materials used are highly durable and specifically designed for professional tandem use.

To use it as a soft spreader, first open the cover that protects the carbon pole. Then, press the webbing together to release the pole from the strap. The conversion can be done quickly and easily, even at the launch site. This reduces the weight to 360g.



DETAILS

Attachment loops

The passenger attachment loops are additionally reinforced to make it even easier and more comfortable to hook in the passenger.

SMART LINK System


The SMART LINK system marks the stitching on the attachment loops to ensure that the passenger is correctly attached – red for left, blue for right.

Carabiner cover

The cover over the carabiner also protects the V-line, providing optimal protection and a seamless transition to the shoulder strap.

Shoulder strap cover

The shoulder strap cover protects the V-line and prevents anything from getting tangled. Two covers of different lengths are included, allowing for optimal adjustment to the shoulder strap length.



SCOPE OF DELIVERY

- 2x spreader bar
- 2x V-line
- 2x cover carabiner
- 2x cover shoulder strap short
- 2x cover shoulder strap long

OPTIONAL ACCESSORIES

Edelrid FORAS steel carabiner

The Twist-and-Push carabiner features a side-opening gate, making it easy to attach the spreader bar. The Antitwist keeps the carabiner in position, further simplifying the attachment of the spreader.

